

POISON



WARNINGS

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

BITHOR DUAL ACTION INSECTICIDE

ACTIVE CONSTITUENTS:

4,5 % (w/v) BIFENTHRIN

5,5 % (w/v) IMIDACLOPRID

For ants, cockroaches, mosquitoes, fleas, flies and bed bugs control in household and medical situations

Manufactured by:
Ensystem II, Inc.
41383 US Highway 15
Pinebluff NC 28373
USA

Registration number:
VNDP-HC-049-01-20

Registered by:
REPRESENTATIVE OFFICE OF ENSYSEX
COMPANY LIMITED IN HO CHI MINH CITY
4th floor, 385A Cong Hoa Street, Ward 13,
Tan Binh District, Ho Chi Minh City
Tel: 028 - 22539507

Distributed by:



® Registered Trademark of Ensystem, Inc. used by licence to Representative Office Of Ensystem Company Limited In Ho Chi Minh City.

Shelf life: 2 years from the Date of Manufacture

Contents:

1 L

ENSYSEX™



DIRECTIONS FOR USE

Pests	Situations	Application rate	Critical comments
Ants, Cockroaches, Mosquitoes, Fleas, Flies	Walls, cracks, dark areas where insects hide, fences, inside and outside buildings, facilities and structures	Surface application: dilute 100 mL preparation with water to obtain 10 L. Use a prepared spray volume of 5 or 10 L per 100 m ² .	For indoor use, pay particular attention to dark protected areas such as cracks and crevices.
Beg bugs	Buildings and facilities		Treatment should be directed to all areas of infestation (e.g. the bed frame, walls, cracks, crevices, and skirting boards).

The product has residual effect within 24 hours after spraying.

MIXING – SHAKE WELL BEFORE OPENING

This product is to be diluted with water prior to application. For best results, make a "premix" of the required amount of product with an equal volume of water and stir thoroughly. Fill sprayer to half of desired volume with water and add "premix". Agitate thoroughly and then fill sprayer to desired volume with water and agitate again to ensure proper mixing. Agitate prior to application if spraying is interrupted.

APPLICATION

Apply diluted insecticide by means of suitable spraying equipment capable of delivering a coarse spray directly onto exposed surfaces frequented by pests. Spray to the point of run-off ensuring thorough coverage of all treated surface.

QUARANTINE PERIOD

Do not allow re-entry until spray has dried or completely evaporated (about 30 minutes after spraying).

PRECAUTIONS

Before spraying, remove people, animals and pets from the areas to be treated. Avoid contact with food, food utensils or preparation surfaces.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product and used containers.

Highly toxic to bees. Will kill bees foraging in the plants to be treated or in hives which are over sprayed or reached by spray drift. Residues may remain toxic to bees for several days after application. Avoid spraying flowers that attract and harbour bees.

PROTECTION OF PETS AND LIVESTOCK

Cover or remove fish ponds, aquariums etc. before spraying.

STORAGE, SPILLAGE AND DISPOSAL

Store in closed, original container in a cool, well ventilated area away from children, animals, food and feedstuffs. DO NOT store for prolonged periods in direct sunlight.

In case of spillage, confine and absorb spilled product with absorbent materials such as sand, clay or cat litter. DO NOT allow spilled products to enter sewers, drains, creeks or any other waterways.

Triple rinse containers before disposal. Add rinsings to spray tanks.

DISPOSE OF THE PRODUCT IN COMPLIANCE WITH VIETNAM REGULATIONS ON MANAGEMENT OF HAZARDOUS WASTES.

SAFETY DIRECTIONS

Harmful if swallowed. May irritate the eyes. Avoid contact with eyes.

When opening the container, preparing the product for use and using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), and elbow-length chemical resistant gloves. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

Inhalation: First aid is not generally required. If in doubt, contact a doctor.

Skin Contact: Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

Eye Contact: If irritation does occur. Flush contaminated eyes with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if the exposed person is wearing contact lenses.

Ingestion: If swallowed, DO NOT induce vomiting. Wash mouth with water and contact a doctor or hospital.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet which is available on request.

NOTICE

Ensynstex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions for use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under abnormal conditions.



Batch No.:

Date of Manufacture:

L-VN-CHMB1037 1.02.04.23 T Col PA